

# PLANEX



# PLANEX

Indoor Lighting




MM76200 - white



## Industry Standards

Europe  
EN60598-1  
EN60598-2-2



## Features:

- Replaces halogen downlights
- Delivers light with 7W / 9W CFL GX53 reflector lamps
- Offers 15,000 hours service life with built-in electronic ballast in lamp
- Eliminates problems of heat and damage to furniture and display objects



MM76200 - steel/silver



## Materials & Finish

- Body
- Material : Plastic
  - Glow wire protect : 670°C

## Cable

- Type : H03VVH2-F 2 x 0.75mm<sup>2</sup>
- Length : 0.5m

## Installation Methods

- Recessed
- Excl. lamp

## Applications

- Workstations
- Study Rooms
- Light Boxes
- Display Shelves
- Exhibition Booth

## Body Colours and Finishing

- White (MM76200)
- Silver (MM76240)

## Available in the following colours



White  
MM76200



Silver  
MM76240

## Recommended Lamp



MM71004  
GX53 / 7W - 4000K



MM00542  
GX53 / 7W - 2700K

MM01319  
GX53 / 7W - 3000K

MM00583  
GX53 / 7W - 4000K





MM00543  
GX53 / 9W - 2700K

MM00765  
GX53 / 9W - 3000K


MM00582  
GX53 / 9W - 4000K

MM01787  
GX53 / 9W - 2700K







Beam Angle : 124°



Beam Angle : 124°


### Measurements



MM76200 / MM76240

### Specifications

Model No.	MM76200 / MM76240	
Maximum Wattage(W)	9	
Voltage(V)	230~240	
Frequency(kHz)	50/60	
Lamp Holder	GX53	
No. of Lamps	1	
Max. cd	(MM00542)	(MM00543)
Beam Angle(°)	88	99
Light Output Ratio	124	124
- ULOR	-----	-----
- LLOR	-----	-----
Measurements(mm)	Ø104 x 39	
Weight(g)		
- luminaire only	76	
- luminaire with lamp	135	
IP Protection	IP20/IP23	
Recommended lamp	MM00542 / MM00543	
Power Supply	-----	
Power Cable	H03VVH2-F 2 x 0.75mm <sup>2</sup>	
Standard Pack	60(10)	



- 15,000 hrs lifetime
- 600,000 switching cycles
- Shorter preheating time

# PLANEX

Indoor Lighting



MM01330



## Industry Standards

Europe  
EN60598-1  
EN60598-2-2



MM00910



## Features:

- Replaces halogen downlights
- Delivers light with 7W / 9W / 13W CFL GX53 reflector lamps
- Offers 15,000 hours service life with built-in electronic ballast in lamp
- Eliminates problems of heat and damage to furniture
- Metal ring construction for perfect blend with furniture

## Materials & Finish

- Body
- Material : Steel
  - Glow wire protect : 670°C

## Installation Methods

- Recessed

## Applications

- Kitchen Cabinets and Counters
- Wardrobes
- Display Shelves

## Cable

- Type : H03VVH2-F 2 x 0.75mm<sup>2</sup>
- Length : 0.5m

## Body Colours and Finishing

- White

Excl. lamp

## Recommended Lamp



MM71004  
GX53 / 7W - 4000K

applications:



MM00910 + 7W lamp



MM00542  
GX53 / 7W - 2700K



MM00765  
GX53 / 9W - 3000K

MM01319  
GX53 / 7W - 3000K

MM00582  
GX53 / 9W - 4000K

MM00583  
GX53 / 7W - 4000K

MM00582  
GX53 / 9W - 4000K



MM00498  
GX53 / 13W - 2700K

MM00500  
GX53 / 13W - 4000K

MM01787  
GX53 / 9W - 2700K



## Conventional Lamp Holder



Noticeable gap without metal ring

## MEGAMAN® PLANEX







Gap is hidden with metal ring





MM00910 + 9W / 13W lamp

A ratchet (or metal hook) is engineered on both sides of this luminaire, which facilitates installation onto any wooden surface without the need for any screws or nails. The metal ring covers the gap between the luminaire and the installation surface for a more aesthetic fit.



### Measurements



H1: MM00542 / MM00543 H2: MM00498

### Specifications

Model No.	MM01330	MM00910
Maximum Wattage(W)	13	13
Voltage(V)	230~240	230~240
Frequency(kHz)	50/60	50/60
Lamp Holder	GX53	GX53
No. of Lamps	1	1
Max. cd	(MM00542) 88 (MM00543) 99	(MM00542) 104 (MM00543) 120 (MM00498) 115
Beam Angle(°)	124 124	117 117 146
Light Output Ratio	-----	-----
- ULOR	-----	-----
- LLOR	-----	-----
Measurements(mm)	Ø86 x H25	(A) Ø86 x H25 (B) Ø86 x H36
Weight(g)	72	72
- luminaire only	131	161
- luminaire with lamp		
IP Protection	IP20/IP23	IP20/IP23
Recommended lamp	MM00542 / MM00543	MM00542 / MM00543 / MM00498
Power Supply	-----	-----
Power Cable	H03VVH2-F 2 x 0.75mm <sup>2</sup>	H03VVH2-F 2 x 0.75mm <sup>2</sup>
Standard Pack	60(10)	60(10)

(A): MM00542 / MM00543 (B): MM00498



- 15,000 hrs lifetime
- 600,000 switching cycles
- Shorter preheating time